

End-of-Sale and End-of-Life Announcement for the Cisco Select Unified Computing Systems Accessories

EOL12711 - Amended

Cisco announces the end-of-sale and end-of-life dates for the Cisco Select Unified Computing Systems Accessories. The last day to order the affected product(s) is February 14, 2019. Customers with active service contracts will continue to receive support from the Cisco Technical Assistance Center (TAC) as shown in Table 1 of the EoL bulletin. Table 1 describes the end-of-life milestones, definitions, and dates for the affected product(s). Table 2 lists the product part numbers affected by this announcement. For customers with active and paid service and support contracts, support will be available under the terms and conditions of customers' service contract.

Table 1. End-of-Life Milestones and Dates for the Cisco Select Unified Computing Systems Accessories

Milestone	Definition	Date
End-of-Life Announcement Date	The date the document that announces the end-of-sale and end-of-life of a product is distributed to the general public.	August 16, 2018
End-of-Sale Date: HW	The last date to order the product through Cisco point-of-sale mechanisms. The product is no longer for sale after this date.	February 14, 2019
Last Ship Date: HW	The last-possible ship date that can be requested of Cisco and/or its contract manufacturers. Actual ship date is dependent on lead time.	May 15, 2019
End of Routine Failure Analysis Date: HW	The last-possible date a routine failure analysis may be performed to determine the cause of hardware product failure or defect.	February 14, 2020
End of New Service Attachment Date: HW	For equipment and software that is not covered by a service-and-support contract, this is the last date to order a new service-and-support contract or add the equipment and/or software to an existing service-and-support contract.	February 14, 2020
End of Service Contract Renewal Date: HW	The last date to extend or renew a service contract for the product.	May 12, 2023
Last Date of Support: HW	The last date to receive applicable service and support for the product as entitled by active service contracts or by warranty terms and conditions. After this date, all support services for the product are unavailable, and the product becomes obsolete.	February 29, 2024

HW = Hardware OS SW = Operating System Software App. SW = Application Software

Table 2. Product Part Numbers Affected by This Announcement

End-of-Sale Product Part Number	Product Description
CIMC-C220M4-209E	Cisco C-Series Software 2.0(9e) for C220 M4 servers
CIMC-C220M4-LAST	Cisco C-Series Software latest shipping version for C220 M4
CIMC-C240M4-209E	Cisco C-Series Software 2.0(9e) for C240 M4 servers
CIMC-C240M4-LAST	Cisco C-Series Software latest shipping version for C240 M4
N20-BBLKD	UCS 2.5 inch HDD blanking panel
N2XX-AEPCI05	Emulex LPe 12002 Dual Port 8Gb Fibre Channel HBA
N2XX-AQPCI05	Qlogic QLE2562 Dual Port 8Gb Fibre Channel HBA
UCS-220CBLPS8	C220 M4 PCIe SSD cable (1) for 8 HDD backplane chassis
UCS-220CBLSR4	C220 M4 SATA/SW RAID cable (1) for 4 HDD backplane chassis
UCS-220CBLSR8	C220 M4 set of 2 SATA/SW RAID cables for 8HDD bckpln chassis
UCS-300WK-240AMD	300 Watt AMD Cable and Kit for UCS C240M4 Rack Server
UCS-C3K-M4HBA	Cisco UCS C3000 12G SAS HBA Controller for M4 Server Blade
UCS-C3K-M4RAID	Cisco UCS C3000 RAID Controller M4 Server w 4G RAID Cache
UCS-CPU-E5-4610E	1.80 GHz E5-4610 v4/105W 10C/25MB Cache/DDR4 1866MHz
UCS-CPU-E5-4610EC=	DISTI:1.80 GHz E5-4610 v4/105W 10C/25MB Cache/DDR4 1866MHz
UCS-CPU-E5-4620E	2.10 GHz E5-4620 v4/105W 10C/25MB Cache/DDR4 2133MHz
UCS-CPU-E5-4620EC=	DISTI:2.10 GHz E5-4620 v4/105W 10C/25MB Cache/DDR4 2133MHz
UCS-CPU-E5-4627E	2.60 GHz E5-4627 v4/135W 10C/25MB Cache/DDR4 2133MHz
UCS-CPU-E5-4627EC=	DISTI:2.60 GHz E5-4627 v4/135W 10C/25MB Cache/DDR4 2133MHz
UCS-CPU-E5-4640E	2.10 GHz E5-4640 v4/105W 12C/30MB Cache/DDR4 2133MHz
UCS-CPU-E5-4640EC=	DISTI:2.10 GHz E5-4640 v4/105W 12C/30MB Cache/DDR4 2133MHz
UCS-CPU-E5-4650E	2.20 GHz E5-4650 v4/105W 14C/35MB Cache/DDR4 2400MHz
UCS-CPU-E5-4650EC=	DISTI:2.20 GHz E5-4650 v4/105W 14C/35MB Cache/DDR4 2400MHz
UCS-CPU-E5-4655E	2.50 GHz E5-4655 v4/135W 8C/30MB Cache/DDR4 2133MHz
UCS-CPU-E5-4655EC=	DISTI:2.50 GHz E5-4655 v4/135W 8C/30MB Cache/DDR4 2133MHz
UCS-CPU-E5-4660E	2.20 GHz E5-4660 v4/120W 16C/40MB Cache/DDR4 2400MHz
UCS-CPU-E5-4660EC=	DISTI:2.20 GHz E5-4660 v4/120W 16C/40MB Cache/DDR4 2400MHz
UCS-CPU-E5-4667E	2.20 GHz E5-4667 v4/135W 18C/45MB Cache/DDR4 2400MHz
UCS-CPU-E5-4667EC=	DISTI:2.20 GHz E5-4667 v4/135W 18C/45MB Cache/DDR4 2400MHz
UCS-CPU-E5-4669E	2.20 GHz E5-4669 v4/135W 22C/55MB Cache/DDR4 2400MHz
UCS-CPU-E5-4669EC=	DISTI:2.20 GHz E5-4669 v4/135W 22C/55MB Cache/DDR4 2400MHz
UCS-CPU-E52609E	1.70 GHz E5-2609 v4/85W 8C/20MB Cache/DDR4 1866MHz
UCS-CPU-E52609EC=	DISTI: 1.70 GHz E5-2609 v4/85W 8C/20MB Cache/DDR4 1866MHz
UCS-CPU-E52620E	2.10 GHz E5-2620 v4/85W 8C/20MB Cache/DDR4 2133MHz
UCS-CPU-E52620EC=	DISTI: 2.10 GHz E5-2620 v4/85W 8C/20MB Cache/DDR4 2133MHz
UCS-CPU-E52623E	2.60 GHz E5-2623 v4/85W 4C/10MB Cache/DDR4 2133MHz
UCS-CPU-E52623EC=	DISTI: 2.60 GHz E5-2623 v4/85W 4C/10MB Cache/DDR4 2133MHz
UCS-CPU-E52630E	2.20 GHz E5-2630 v4/85W 10C/25MB Cache/DDR4 2133MHz
UCS-CPU-E52630EC=	DISTI: 2.20 GHz E5-2630 v4/85W 10C/25MB Cache/DDR4 2133MHz
UCS-CPU-E52630LE	1.80 GHz E5-2630L v4/55W 8C/25MB Cache/DDR4 2133MHz
UCS-CPU-E52630LEC=	DISTI: 1.80 GHz E5-2630L v4/55W 8C/25MB Cache/DDR4 2133MHz

End-of-Sale Product Part Number	Product Description
UCS-CPU-E52637E	3.50 GHz E5-2637 v4/135W 4C/15MB Cache/DDR4 2400MHz
UCS-CPU-E52637EC=	DISTI: 3.50 GHz E5-2637 v4/135W 4C/15MB Cache/DDR4 2400MHz
UCS-CPU-E52640E	2.40 GHz E5-2640 v4/90W 10C/25MB Cache/DDR4 2133MHz
UCS-CPU-E52640EC=	DISTI: 2.40 GHz E5-2640 v4/90W 10C/25MB Cache/DDR4 2133MHz
UCS-CPU-E52643E	3.40 GHz E5-2643 v4/135W 6C/20MB Cache/DDR4 2400MHz
UCS-CPU-E52643EC=	DISTI: 3.40 GHz E5-2643 v4/135W 6C/20MB Cache/DDR4 2400MHz
UCS-CPU-E52650E	2.20 GHz E5-2650 v4/105W 12C/30MB Cache/DDR4 2400MHz
UCS-CPU-E52650EC=	DISTI: 2.20 GHz E5-2650 v4/105W 12C/30MB Cache/DDR4 2400MHz
UCS-CPU-E52650LE	1.70 GHz E5-2650L v4/65W 14C/35MB Cache/DDR4 2400MHz
UCS-CPU-E52650LEC=	DISTI: 1.70 GHz E5-2650L v4/65W 14C/35MB Cache/DDR4 2400MHz
UCS-CPU-E52658E	2.30 GHz E5-2658 v4/105W 14C/35MB Cache/DDR4 2400MHz
UCS-CPU-E52658EC=	DISTI: 2.30 GHz E5-2658 v4/105W 14C/35MB Cache/DDR4 2400MHz
UCS-CPU-E52660E	2.00 GHz E5-2660 v4/105W 14C/35MB Cache/DDR4 2400MHz
UCS-CPU-E52660EC=	DISTI: 2.00 GHz E5-2660 v4/105W 14C/35MB Cache/DDR4 2400MHz
UCS-CPU-E52667E	3.20 GHz E5-2667 v4/135W 8C/25MB Cache/DDR4 2400MHz
UCS-CPU-E52667EC=	DISTI: 3.20 GHz E5-2667 v4/135W 8C/25MB Cache/DDR4 2400MHz
UCS-CPU-E52680E	2.40 GHz E5-2680 v4/120W 14C/35MB Cache/DDR4 2400MHz
UCS-CPU-E52680EC=	DISTI: 2.40 GHz E5-2680 v4/120W 14C/35MB Cache/DDR4 2400MHz
UCS-CPU-E52683E	2.10 GHz E5-2683 v4/120W 16C/40MB Cache/DDR4 2400MHz
UCS-CPU-E52683EC=	DISTI: 2.10 GHz E5-2683 v4/120W 16C/40MB Cache/DDR4 2400MHz
UCS-CPU-E52690E	2.60 GHz E5-2690 v4/135W 14C/35MB Cache/DDR4 2400MHz
UCS-CPU-E52690EC=	DISTI: 2.60 GHz E5-2690 v4/135W 14C/35MB Cache/DDR4 2400MHz
UCS-CPU-E52695E	2.10 GHz E5-2695 v4/120W 18C/45MB Cache/DDR4 2400MHz
UCS-CPU-E52695EC=	DISTI: 2.10 GHz E5-2695 v4/120W 18C/45MB Cache/DDR4 2400MHz
UCS-CPU-E52697AE	2.60 GHz E5-2697A v4/145W 16C/40MB Cache/DDR4 2400MHz
UCS-CPU-E52697AEC=	DISTI: 2.60 GHz E5-2697A v4/145W 16C/40MB Cache/DDR4 2400MHz
UCS-CPU-E52697E	2.30 GHz E5-2697 v4/145W 18C/45MB Cache/DDR4 2400MHz
UCS-CPU-E52697EC=	DISTI: 2.30 GHz E5-2697 v4/145W 18C/45MB Cache/DDR4 2400MHz
UCS-CPU-E52698E	2.20 GHz E5-2698 v4/135W 20C/50MB Cache/DDR4 2400MHz
UCS-CPU-E52698EC=	DISTI: 2.20 GHz E5-2698 v4/135W 20C/50MB Cache/DDR4 2400MHz
UCS-CPU-E52699AE	2.4 GHz E5-2699A v4/145W 22C/55MB Cache/DDR4 2400MHz
UCS-CPU-E52699AEC=	DISTI: 2.4 GHz E5-2699A v4/145W 22C/55MB Cache/DDR4 2400MHz
UCS-CPU-E52699E	2.20 GHz E5-2699 v4/145W 22C/55MB Cache/DDR4 2400MHz
UCS-CPU-E52699EC=	DISTI: 2.20 GHz E5-2699 v4/145W 22C/55MB Cache/DDR4 2400MHz
UCS-CPU-E74809E	2.1 GHz E7-4809 v4/115W 8C/20M Cache/DDR4 1866MHz
UCS-CPU-E74809EC=	DISTI:2.1 GHz E7-4809 v4/115W 8C/20M Cache/DDR4 1866MHz w/o
UCS-CPU-E74820E	2.0 GHz E7-4820 v4/115W 10C/25M Cache/DDR4 1866MHz
UCS-CPU-E74820EC=	DISTI:2.0 GHz E7-4820 v4/115W10C/25M Cache/DDR4 1866MHz w/o
UCS-CPU-E74830E	2.0 GHz E7-4830 v4/115W 14C/35M Cache/DDR4 1866MHz
UCS-CPU-E74830EC=	DISTI:2.0 GHz E7-4830 v4/115W 14C/35M Cache/DDR4 1866MHz w/o
UCS-CPU-E74850E	2.1 GHz E7-4850 v4/115W 16C/40M Cache/DDR4 1866MHz
UCS-CPU-E74850EC=	DISTI:2.1 GHz E7-4850 v4/115W 16C/40M Cache/DDR4 1866MHz w/o
UCS-CPU-E78860E	2.2 GHz E7-8860 v4/140W 18C/45M Cache/DDR4 1866MHz

End-of-Sale Product Part Number	Product Description
UCS-CPU-E78860EC=	DISTI:2.2 GHz E7-8860v4/140W 18C/45M Cache/DDR4 1866MHz w/o
UCS-CPU-E78867E	2.4 GHz E7-8867 v4/165W 18C/45M Cache/DDR4 1866MHz
UCS-CPU-E78867EC=	DISTI:2.4 GHz E7-8867 v4/165W 18C/45M Cache/DDR4 1866MHz w/o
UCS-CPU-E78870E	2.1 GHz E7-8870 v4/140W 20C/50M Cache/DDR4 1866MHz
UCS-CPU-E78870EC=	DISTI:2.1 GHz E7-8870 v4/140W20C/55M Cache/DDR4 1866MHz w/o
UCS-CPU-E78880E	2.2 GHz E7-8880 v4/150W 22C/55M Cache/DDR4 1866MHz
UCS-CPU-E78880EC=	DISTI:2.2 GHz E7-8880 v4/150W 22C/55M Cache/DDR4 1866MHz w/o
UCS-CPU-E78890E	2.2 GHz E7-8890 v4/165W 24C/60M Cache/DDR4 1866MHz
UCS-CPU-E78890EC=	DISTI: 2.2 GHz E-8890 v4/165W 24C/60M Cache/DDR4 1866MHz w/o
UCS-CPU-E78891E	2.8 GHz E7-8891 v4/165W 10C/60M Cache/DDR4 1866MHz
UCS-CPU-E78891EC=	DISTI:2.8 GHz E7-8891 v4/165W 10C/60M Cache/DDR4 1866MHz w/o
UCS-CPU-E78893E	3.2 GHz E7-8893 v4/140W 4C/60M Cache/DDR4 1866MHz
UCS-CPU-E78893EC=	DISTI:3.2 GHz E7-8893 v4/140W 4C/60M Cache/DDR4 1866MHz w/o
UCS-CPU-E78894E	2.4 GHz E7-8894 v4/165W 24C/60M Cache/DDR4 1866MHz
UCS-CPU-E78894EC=	DISTI: 2.4 GHz E-8894 v4/165W 24C/60M Cache/DDR4 1866MHz w/o
UCS-HD10T7KEM	10 TB 12G SAS 7.2K RPM LFF HDD (512e)
UCS-HD10T7KL4K	10 TB 12G SAS 7.2K RPM LFF HDD (4K)
UCS-HD10T7KL6GA	10TB 6G SATA 7.2K RPM LFF HDD
UCS-HD12T7KL4KHM	12 TB 12G SAS 7.2K RPM LFF HDD (4K)
UCS-HD12T7KL6GHA	12TB 6G SATA 7.2K RPM LFF HDD (512e)
UCS-HD12TB10KHY-E	1.2TB 3.5 inch 12G SAS 10K RPM drive
UCS-HD1T7K12G	1 TB 12G SAS 7.2K RPM SFF HDD
UCS-HD1T7K6GA	1 TB 6G SATA 7.2K RPM SFF HDD
UCS-HD1T7KL12G	1TB 12G SAS 7.2K RPM LFF HDD
UCS-HD1T7KL6GA	1 TB 6G SATA 7.2K RPM LFF HDD
UCS-HD2T7K12G	2 TB 12G SAS 7.2K RPM SFF HDD
UCS-HD2T7KL12G	2 TB 12G SAS 7.2K RPM LFF HDD
UCS-HD2T7KL6GA	2 TB 6G SATA 7.2K RPM LFF HDD
UCS-HD300G15KHY-E	300GB 3.5 inch Hybrid 6G SAS 15K RPM HDD
UCS-HD4T12GK9	4TB 7.2k rpm LFF HDD (SED)
UCS-HD4T7KL12G	4 TB 12G SAS 7.2K RPM LFF HDD
UCS-HD4T7KL6GA	4 TB 6G SATA 7.2K RPM LFF HDD
UCS-HD600G15CK9	600GB 12G SAS 15K RPM LFF HDD (SED)
UCS-HD600G15KHY-E	600GB 3.5 inch Hybrid 6G SAS 15K RPM HDD
UCS-HD6T12GAK9	6TB 7.2krpm LFF HDD (4K format, SED)
UCS-HD6T7KEM	6TB 12G SAS 7.2K RPM LFF HDD (512e)
UCS-HD6T7KL4K	6 TB 12G SAS 7.2K RPM LFF HDD (4K)
UCS-HD6T7KL6GA	6 TB 6G SATA 7.2K RPM LFF HDD
UCS-HD8T7KEM	8 TB 12G SAS 7.2K RPM LFF HDD (512e)
UCS-HD8T7KL4KHM	8 TB 12G SAS 7.2K RPM LFF HDD (4K)
UCS-HD8T7KL6GA	8TB 6G SATA 7.2K RPM LFF HDD
UCS-HY16TSAS3-EP	1.6TB 3.5in Enterprise performance 12G SAS SSD (3X DWPD)
UCS-HY19TIS3-EP	1.9TB 3.5in Enterprise performance 6GSATA SSD(3X endurance)

End-of-Sale Product Part Number	Product Description
UCS-HY400GSAS3-EP	400GB 3.5in Enterprise performance 12G SAS SSD (3X DWPD)
UCS-HY480GIS3-EP	480GB 3.5in Enterprise performance 6GSATA SSD(3X endurance)
UCS-HY800GSAS3-EP	800GB 3.5in Enterprise performance 12G SAS SSD (3X DWPD)
UCS-M4-V3-LBL	Cisco M4 - v3 CPU asset tab ID label (Auto-Expand)
UCS-M4-V4-LBL	Cisco M4 - v4 CPU asset tab ID label (Auto-Expand)
UCS-ML-1X324RU-G	32 GB DDR4-2133/2400-MHz LRDIMM/4R/x4/1.2v 1.2 4
UCS-ML-1X324RV-A	32GB DDR4-2400-MHz LRDIMM/PC4-19200/quad rank/x4/1.2v
UCS-ML-1X644RU-G	64 GB DDR4-2133/2400-MHz LRDIMM/4R/x4/1.2v 1.2 4
UCS-ML-1X644RV-A	64GB DDR4-2400-MHz LRDIMM/PC4-19200/quad rank/x4/1.2v
UCS-MR-1X081RU-G	8 GB DDR4-2133/2400 MHz RDIMM/1R/x4/1.2v 1.2 1
UCS-MR-1X081RU-G=	8 GB DDR4-2133/2400 MHz RDIMM/1R/x4/1.2v 1.2 1
UCS-MR-1X081RV-A	8GB DDR4-2400-MHz RDIMM/PC4-19200/single rank/x4/1.2v
UCS-MR-1X081RV-A=	8GB DDR4-2400-MHz RDIMM/PC4-19200/single rank/x4/1.2v
UCS-MR-1X161RV-A	16GB DDR4-2400-MHz RDIMM/PC4-19200/single rank/x4/1.2v
UCS-MR-1X161RV-G	16GB DDR4-2133MHz/2400-MHz RDIMM/single rank/x4/1.2v
UCS-MR-1X162RU-G	16 GB DDR4-2133/2400 MHz RDIMM/2R/x4/1.2v 1.2 2
UCS-MR-1X162RU-G=	16 GB DDR4-2133/2400 MHz RDIMM/2R/x4/1.2v 1.2 2
UCS-MR-1X162RUA++=	TAA compliant 16GB DDR4-2133-MHz RDIMM/PC4-17000/DR/x4/1.2v
UCS-MR-1X162RV-A	16GB DDR4-2400-MHz RDIMM/PC4-19200/dual rank/x4/1.2v
UCS-MR-1X162RV-A=	16GB DDR4-2400-MHz RDIMM/PC4-19200/dual rank/x4/1.2v
UCS-MR-1X322RU-G	32 GB DDR4-2133/2400-MHz RDIMM/2R/x4/1.2v 1.2 2
UCS-MR-1X322RUG-S	32GB DDR4-2133-MHz RDIMM/PC4-17000/dual rank/x4/1.2v Samsung
UCS-MR-1X322RVA-S	32GB DDR4-2400-MHz RDIMM/PC4-19200/dual rank/x4/1.2v Samsung
UCS-MR-1X648RU-A	64GB DDR4-2133-MHz TSV-RDIMM/PC4-17000/octal rank/x4/1.2v
UCS-SD120G0KHY-EV	120GB 3.5 inch Enterprise Performance 6G SATA SSD (1FWPD)
UCS-SD120GB7M-EV	120 GB 7mm Enterprise Value SATA SSD
UCS-SD120GBE1K9	120GB Enterprise Value SATA SSD (1X DWPD)
UCS-SD120GBKS4-EB	120 GB 2.5 inch Enterprise Value 6G SATA SSD (boot)
UCS-SD16TB7M-EV	1.6TB 7mm Enterprise Value SATA SSD
UCS-SD16TBHK9	1.6TB Enterprise performance SAS SSD (10X FWPD, SED)
UCS-SD16TBKS4-EB	1.6TB 2.5 inch Enterprise Value 6G SATA SSD (Boot)
UCS-SD16TG1KHY-EP	1.6TB 3.5 inch Enterprise performance 12G SAS SSD (10 DWPD)
UCS-SD240GBM1K9	240GB Enterprise Value SSD (SATA) (1X FWPD, SED)
UCS-SD32TSASS3-EP	3.2TB 2.5 inch Enterprise performance 12G SAS SSD(3X DWPD)
UCS-SD38TBM1K9	3.8TB Enterprise Value SSD (SATA) (1X FWPD, SED)
UCS-SD400G1KHY-EP	400GB 3.5 inch Enterprise performance 12G SAS SSD (10 DWPD)
UCS-SD400GBCK9	400GB Enterprise performance SAS LFF SSD (10X DWPD, SED)
UCS-SD400GBHK9	400GB Enterprise performance SAS SSD (10X FWPD, SED)
UCS-SD400GBK9	400GB 3.5 inch Enterprise Performance 6G SAS SED SSD
UCS-SD400GSAS3-EP	400GB 2.5 inch Enterprise performance 12G SAS SSD(3X DWPD)
UCS-SD480GB7M-EP	480GB 7mm Enterprise Performance SATA SSD
UCS-SD480GBE1K9	480GB Enterprise Value SSD (SATA)
UCS-SD480GBKS4-EB	480 GB 2.5 inch Enterprise Value 6G SATA SSD (Boot)

End-of-Sale Product Part Number	Product Description
UCS-SD600GBE3K9	600GB Enterprise performance SSD (3X)
UCS-SD800G0KHY-EP	800GB 3.5 inch Enterprise Performance 12G SAS SSD (LFF)
UCS-SD800GBCK9	800GB Enterprise performance SAS LFF SSD (10X FWPDP, SED)
UCS-SD800GBHK9	800GB Enterprise performance SAS SSD (10X FWPDP, SED)
UCS-SD960GBE1K9	960GB Enterprise value SSD (SATA)
UCS-SD960GBM1K9	960GB Enterprise Value SSD (SATA) (1X FWPDP, SED)
UCS-SF-960GBKS4	UCS Solidfire 960GB 2.5 inch Enterprise Value 6G SATA SSD
UCS-SW-CUST-002	Test ONLY for designated use; selecting will delay order
UCS-VIC-M82-8P	Cisco UCS VIC 1280 mezzanine adapter for blade servers
UCSB-EX-M4-2SC-2	UCS Scalability Terminator for B260 M4 with v4 CPU
UCSB-FW012-D	UCS B200 M4 server node FW, latest shipping 2.2.x
UCSB-FW014-1G	UCS B200 M4 server node FW, version 3.1.1g.B
UCSB-FW014-D	UCS B200 M4 server node FW, latest shipping 3.1.x
UCSB-GPU-M6	UCS Blade Server M6 GPU HW - GRID 2.0 SW req d for VDI
UCSB-HS-EP-M4-F	CPU Heat Sink for UCS B200 M4/B420 M4 (Front)
UCSB-HS-EP-M4-R	CPU Heat Sink for UCS B200 M4/B420 M4 (Rear)
UCSB-HS-EX-L	CPU Heatsink for UCS B260 M4 & B460 M4 Socket 1 (Left)
UCSB-HS-EX-R	CPU Heatsink for UCS B260 M4 & B460 M4 Socket 2 (Right)
UCSB-MLOM-40G-01	Cisco UCS VIC 1240 modular LOM for blade servers
UCSC-300W-460AMD	300 Watt AMD Cable for UCS C460M4 Rack Server
UCSC-AUXCBL8-EX	PCIe auxilliary power cable kit with adapter cable and 8-pin
UCSC-BAFF-C460-M4	Air Baffle for UCS C460 M4
UCSC-BBLKD-L	3.5-inch HDD Blanking Panel
UCSC-BRCKT1-C420	PCIe bracket for Cisco VIC 1225
UCSC-BRCKT1-C460	Bracket and Supercap cable for C460 M4 and 12G RAID
UCSC-BRCKT2-C420	PCIe bracket for Cisco VIC (Kirkwood)
UCSC-BRCKT2-C460	Bracket and Supercap cable for C460 M4 and 12 drive RAID
UCSC-BZL-C220M4	C220 M4 Security Bezel
UCSC-BZL-C240M4	C240 M4 Security Bezel
UCSC-BZL-EX	Optional bezel for UCS C460 M4 rack server
UCSC-C3K-M4SRB	UCS C3000 M4 Server Node for Intel E5-2600 v4
UCSC-C3K-M4SRB-U	UCS S3260 M4 Svr Node w/o CPU, memory
UCSC-C3K-M4SRB=	UCS S3260 M4 Svr Node w/o CPU, memory (svc spare)
UCSC-C3K-M4SRI-U	UCS S3260 M4 Svr Node w/IOE Configurable
UCSC-CMA-4U	Cable Management Arm for UCS C460 M4
UCSC-F-S13002	UCS Rack PCIe Storage 1300GB SanDisk SX350 Medium Endurance
UCSC-F-S16002	UCS Rack PCIe Storage 1600GB SanDisk SX350 Medium Endurance
UCSC-F-S64002	UCS Rack PCIe Storage 6400GB SanDisk SX350 Medium Endurance
UCSC-HS-01-EX	CPU Heat Sink for UCS C460 M4 Rack Server
UCSC-HS-C220M4	Heat sink for UCS C220 M4 rack servers
UCSC-HS-C240M4	Heat sink for UCS C240 M4 rack servers
UCSC-IP-PCH-240M4	Interposer board + cables for onboard PCH SATA 6G
UCSC-IP-SSD-240M4	C240 M4 PCIE SSD Interposer bd + cable (8-16 drive config)

End-of-Sale Product Part Number	Product Description
UCSC-IPSSD-240M4B	C240 M4 PCIE SSD Interposer bd + cable (24 drive config)
UCSC-MLOM-BLK	MLOM Blanking Panel
UCSC-MLOM-C10T-02	Cisco UCS VIC1227T VIC MLOM - Dual Port 10GBaseT
UCSC-MLOM-CSC-02	Cisco UCS VIC1227 VIC MLOM - Dual Port 10Gb SFP+
UCSC-MRAID12G	Cisco 12G SAS Modular Raid Controller
UCSC-MRAID12G-1GB	Cisco 12Gbps SAS 1GB FBWC Cache module (Raid 0/1/5/6)
UCSC-MRAID12G-2GB	Cisco 12Gbps SAS 2GB FBWC Cache module (Raid 0/1/5/6)
UCSC-MRAID12G-4GB	Cisco 12Gbps SAS 4GB FBWC Cache module (Raid 0/1/5/6)
UCSC-MRAID12G-512	Cisco 12Gbps SAS 512MB FBWC Cache module (Raid 0/1/5)
UCSC-MRAIDC460	Cisco 12G SAS Modular Raid Controller (12 port)
UCSC-MRBD2-12	UCS C460 M4 DDR4 Memory Riser with 12 DIMM slots
UCSC-NVMEM4-H1600	Cisco 2.5in U.2 1.6TB HGST SN200 NVMe. High Endurance SSD
UCSC-NVMEM4-H800	Cisco 2.5in U.2 800GB HGST SN200 NVMe. High Endurance SSD
UCSC-PCI-1A-240M4	Right PCIe Riser Board (Riser 1) (x8 + GPU) for C240 M4
UCSC-PCI-1B-240M4	Right PCIe Riser Board (Riser 1) (3 x8)
UCSC-PCI-1C-240M4	Right PCI Riser Bd (Riser 1) 2onbd SATA bootdrvs+ 2PCI slts
UCSC-PCI-2-C240M4	Left PCIe Riser Board (Riser 2) for C240 M4
UCSC-PCI-2B-220M4	C220 M4 PCIE SSD riser card kit and cables
UCSC-PCIE-C10T-02	Cisco VIC 1225T Dual Port 10GBaseT CNA
UCSC-PCIE-C40Q-02	Cisco VIC 1285 Dual Port 40Gb QSFP CNA
UCSC-PCIE-CSC-02	Cisco VIC 1225 Dual Port 10Gb SFP+ CNA
UCSC-PCIE-E14102	Emulex OCe14102-UX dual-port 10 GbE FCoE CNA
UCSC-PCIE-E14102B	Emulex OCe14102B-UX dual-port 10G SFP+ with iSCSI, FCoE CNA
UCSC-PCIE-E16002	Emulex LPe16002 Dual-Port 16Gb Fibre Channel HBA w/SR Optics
UCSC-PCIE-FLR-F	Full Height PCIe slot filler for C Series
UCSC-PCIE-ITG	Intel X540 Dual Port 10GBase-T Adapter
UCSC-PCIE-Q2672	Qlogic QLE2672-CSC, 16Gb Fibre Channel HBA with SR Optics
UCSC-PCIE-QNICBT	Qlogic QLE8442 dual-port 10GBase-T NIC
UCSC-PCIE-QNICSFP	Qlogic QLE8442 dual-port 10G SFP+ NIC
UCSC-PCIE-RSR-05	Riser card with 5 PCIe slots
UCSC-PCIE-RSR-FLR	PCIe Module Filler Panel for UCS C460 M4
UCSC-PSAS12GHBA	Cisco 12Gbps SAS Modular SAS HBA
UCSC-PSU2V2-1200W	1200W / 800W V2 AC Power Supply for 2U C-Series Servers
UCSC-PSU2V2-1400W	1400W V2 AC Power Supply (200 - 240V) 2U & 4U C Series
UCSC-PSU2V2-650W	650W V2 AC Power Supply for 2U C-Series Servers
UCSC-PSU2V2-930DC	930W V2 DC Power Supply for 2U C-Series Servers
UCSC-PSUBLK-C460	PSU Blanking Panel for C460 M4
UCSC-RAIL-4U	Rail Kit for UCS C460 M4
UCSC-SAS12GHBA	Cisco 12Gbps Modular (non-RAID) SAS HBA
UCSC-SAS9300-8E	Cisco 12G (non-RAID) SAS HBA with 8 external ports
UCSC-SCCBL220	Supercap cable 950mm
UCSC-SCCBL240	Supercap cable 250mm
UCSC-SWRAID5	Software Raid 5 upgrade key for embedded Raid

Product Migration Options

There is no replacement available for the Cisco Select Unified Computing Systems Accessories at this time.

Customers may be able to use the Cisco Technology Migration Program (TMP) where applicable to trade-in eligible products and receive credit toward the purchase of new Cisco equipment. For more information about Cisco TMP, customers should work with their Cisco Partner or Cisco account team. Cisco Partners can find additional TMP information on Partner Central at:

https://www.cisco.com/web/partners/incentives_and_promotions/tmp.html.

Customers may be able to continue to purchase the Cisco Select Unified Computing Systems Accessories through the Cisco Certified Refurbished Equipment program. Refurbished units may be available in limited supply for sale in certain countries on a first-come, first-served basis until the Last Date of Support has been reached. For information about the Cisco Certified Refurbished Equipment program, go to: <https://www.cisco.com/go/eos>.

Service prices for Cisco products are subject to change after the product End of Sale date.

The Cisco Takeback and Recycle program helps businesses properly dispose of surplus products that have reached their end of useful life. The program is open to all business users of Cisco equipment and its associated brands and subsidiaries. For more information, go to:

https://www.cisco.com/web/about/ac227/ac228/ac231/about_cisco_takeback_recycling.html.

For More Information

For more information about the Cisco End-of-Life Policy, go to:

https://www.cisco.com/en/US/products/products_end-of-life_policy.html.

For more information about the Cisco Product Warranties, go to:

https://www.cisco.com/en/US/products/prod_warranties_listing.html.

To subscribe to receive end-of-life/end-of-sale information, go to:

<https://www.cisco.com/cisco/support/notifications.html>.

Any authorized translation issued by Cisco Systems or affiliates of this end-of-life Product Bulletin is intended to help customers understand the content described in the English version. This translation is the result of a commercially reasonable effort; however, if there are discrepancies between the English version and the translated document, please refer to the English version, which is considered authoritative.




Americas Headquarters
Cisco Systems, Inc.
San Jose, CA

Asia Pacific Headquarters
Cisco Systems (USA) Pte. Ltd.
Singapore

Europe Headquarters
Cisco Systems International BV Amsterdam,
The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at <https://www.cisco.com/go/offices>.

 Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: <https://www.cisco.com/go/trademarks>. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)